PROCEEDINGS of the 16th DOE NUCLEAR AIR CLEANING CONFERENCE Held in San Diego, California 20-23 October 1980

Sponsors: U.S. Department of Energy
The Harvard Air Cleaning Laboratory

Editor Melvin W. First

Published February, 1981

PROGRAM COMMITTEE

- W.L. Anderson
- C.A. Burchsted
- H.L. Ettinger
- D.W. Moeller
- R.R. Bellamy
- J.T. Collins
- H. Gilbert
- D. Pence
- R. Brown
- J.C. Dempsey
- J.L. Kovach
- R.D. Rivers

CONFERENCE CHAIRMAN

Melvin W. First Harvard Air Cleaning Laboratory

FOREWORD

The Sixteenth DOE Nuclear Air Cleaning Conference was held Oct. 20-23, 1980, in San Diego, Calif. The 350 air cleaning specialists who attended were affiliated with governmental agencies, educational institutions, national laboratories, and many sectors of the nuclear industry, and included representatives from the United States and 11 foreign countries.

Major topics discussed during the conference were waste treatment, including volume reduction and storage, system and component response to stress and accident conditions, the Three Mile Island accident, iodine adsorption, the treatment and storage of noble gas, the treatment of offgases from chemical processing, aerosol behavior, containment venting, laboratory and in-place filter-testing methods, and particulate filtration. The conference focused on the exchange of information among the participants.

Air cleaning research is continuing to move forward in both the United States and foreign countries, yet there are distinct differences in the nature of these efforts. In the European countries, research efforts are directed toward air cleaning problems associated with the reprocessing of spent fuels. Foreign researchers are also expending considerable time and effort on remote changing and packaging of spent filter elements. Within the United States, research is moving forward on the development of filtered vented containment systems for commercial nuclear power plants, and the use of sand filters in the venting system is once again receiving attention.

The Three Mile Island accident of March 1979 and the associated air cleaning aspects were discussed at length and in detail during the conference. It is clear that this single event will have a profound influence on future nuclear safety developments, including engineered safety feature nuclear air and gas cleaning systems. This places a heavy responsibility on all air cleaning specialists to improve their systems, where needed, and to devise administrative mechanisms that will assure their constant readiness to perform in the expected manner should they be called upon again.

It was announced at the Conference that an author, title, and permutated work index to the Proceedings of all of the Nuclear Air Cleaning Conferences, including this 16th, would become available simultaneously with the Proceedings of the 16th Conference through the efforts of Mr. Clifford Burchsted and the Oak Ridge National Laboratory. This is welcome news to all nuclear air cleaning specialists as it makes a vast archive of information readily available for consultation, reference, and review.

Program Committee

DEDICATION OF PROCEEDINGS TO DR. MELVIN W. FIRST

For more than 30 years, Professor Melvin W. First of the Harvard School of Public Health has been a national Leader in the field of environmental health and safety. Since 1966, he has headed the Harvard Air Cleaning Laboratory and he has served as Chairman of the 9th through the 16th Nuclear Air Cleaning Conferences.

During the luncheon session at the 16th Conference, Dr. First was honored by his colleagues through the presentation to him of a special citation, plus a letter of commendation from Charles Duncan, Secretary of the U.S. Department of Energy (see pages which follow).

These Proceedings are dedicated to Dr. First by his colleagues, friends, and professional associates in honor of his inspiration and leadership in planning and convening the Nuclear Air Cleaning Conferences.

The Program Committee



Shown above is a photograph of Dr. First receiving one of several mementos presented to him during the luncheon session of the 16th Nuclear Air Cleaning Conference. Standing behind Dr. First is his wife, Julia. Making the presentation is Dr. Dade W. Moeller. Others in the photograph are Dr. Ronald Bellamy, seated beside Mrs. First, and Mr. Humphrey Gilbert, partially hidden behind the microphones. Special appreciation is extended to Dr. Yashuhiko Itoh of Nitta Belting Company, Ltd., Tokyo, who took the photograph.



THE SECRETARY OF ENERGY WASHINGTON, D.C. 20585

October 22, 1980

Dr. Melvin W. First
Professor of Environmental Health Engineering
and Director, Harvard Air Cleaning Laboratory
School of Public Health
Harvard University
665 Huntington Avenue
Boston, Massachusetts 02115

Dear Dr. First:

Having been informed that this is the last Air Cleaning Conference that you will chair prior to your retirement from the Harvard School of Public Health, I want to take this opportunity to extend to you our heartiest congratulations and to thank you for your many years of faithful service both to the U.S. Department of Energy and to your colleagues in the professional air cleaning community.

As Director of the Harvard Air Cleaning Laboratory, you have worked with the Department of Energy and its predecessor organizations for over 30 years. During that time, you have conducted research on containment systems for nuclear power plants, on cleanup systems for liquid metal fast breeder reactors, on adsorption systems for the removal of radioiodine and the noble gases, and on the development of new and better techniques for testing the performance of air cleaning systems. In addition, you have been the major catalyst in organizing and promoting this series of biennial Air Cleaning Conferences, of which this meeting is the sixteenth. The Proceedings of these Conferences, many of which you have personally compiled and edited, serve today as a veritable encyclopedia on the subject of air cleaning. As a note to the side, but of no little significance, I am told that you are one of the few, if not the only person, who has attended every air cleaning conference since the first one was held in Boston in June 1951.

Today, I join with my Department of Energy associates in saluting you for your many contributions and years of faithful service to your fellowman. At the same time, we look forward to your continuing involvement in air cleaning research and particularly in the conduct of conferences similar to this for many years to come.

Sincerely

Charles W. Duncan. Jr





This certificate is awarded

to

DR. MELVIN W. FIRST

for his thirty years of dedicated
teaching and research, and for his
inspiration and leadership in planning
and convening the Nuclear Air Cleaning
Conferences

Presented

at the

16th DOE Nuclear Air Cleaning Conference

San Diego, California

October 22, 1980

Charles Duncan, Secretary

U. S. Department of Energy

Derek Bok, President Harvard University

TABLE OF CONTENTS

VOLUME I

FOREWORD	ii	i
DEDICATION	i	v
Session l OPENING OF THE CONF	ERENCE	
	October 20, 1980 Melvin W. First Harvard Air Cleaning Laboratory	
WELCOME AND OBJECTIVES OF THE CONFERENCE Harvard School of Public Health		2
KEYNOTE ADDRESSES:		
PROTECTION OF THE ENVIRONMENT by Ge Department of Energy		4
THE IMPACT OF THE ACCIDENT AT TMI-2 REGULATIONS by John T. Collins, U.S Commission	. Nuclear Regulatory	7
Session 2 HEPA FILTER TEST M	ETHODS	
CHAIRMAN:	October 20, 1980 R.P. Pratt UK Atomic Energy Authority	
OPENING REMARKS OF SESSION CHAIRMAN		16
INSITU MEASUREMENT OF THE EFFICIENCY OF IN THE NUCLEAR INDUSTRY BY THE SODA-FLUC METHOD-AFNOR STANDARD NFX 44.011 by J. D. Nucléaires de Saclay	RESCEIN (URANIN) AEROSOL Supoux, Centre d'Etudes	17
DISCUSSION	• • • • • • • • • • • • • • • • • • • •	34
A COMPARATIVE STUDY OF IN-SITU FILTER TED.C. Stevens, AERE, Harwell		35
DISCUSSION		55

A COMPARISION OF METHODS FOR PARTICULATE TESTING OF HEPA FIL- TERS by R.G. Dorman, Ministry of Defense, UK
DISCUSSION
COMPARISION OF HEPA FILTER TEST METHODS IN CORROSIVE ENVIRON- MENTS by L.P. Murphy, S.J. Fernandez, B.G. Motes, Exxon Nuclear Idaho, Inc
IN-PLACE TESTING OF TANDEM HEPA FILTER STAGES USING FLUORES- CENT AEROSOLS by J. Elder, T. Kyle, M. Tillery, H.J. Ettinger, Los Alamos Scientific Laboratory
DISCUSSION
REPORT OF MINUTES OF GOVERNMENT-INDUSTRY MEETING ON FILTERS, MEDIA, AND MEDIA TESTING by W.L. Anderson, Naval Surface Weapons Center
ADDENDUM 1. SELECTED POLYETHYLENE GLYCOLS AS "DOP" SUBSTI- TUTES by B.V. Gerber, U.S. Army ARRADCOM Chemical Laboratory
ADDENDUM 2. SIZE DISTRIBUTIONS OF AEROSOLS PRODUCED FROM SUBSTITUTE MATERIALS BY THE LASKIN COLD DOP AEROSOL GENERATOR by W. Hinds, J. Macher, M.W. First, Harvard School of Public Health 125
CLOSING REMARKS OF SESSION CHAIRMAN
Session 3
NOBLE GAS SEPARATION
Monday: October 20, 1980 CHAIRMAN: Clifford Burchsted Oak Ridge National Laboratory
REVIEW OF THE ADSORPTION OF RADIOACTIVE KRYPTON AND XENON ON ACTIVATED CHARCOAL by D.W. Underhill, University of Pittsburgh School of Public Health and D.W. Moeller, Harvard School of Public Health
DISCUSSION
NOBLE GAS SEPARATION FROM NUCLEAR REACTOR EFFLUENTS USING SELECTIVE ADSORPTION WITH INORGANIC ADSORBENTS by D.T. Pence, W. J. Paplawsky, Science Applications, Inc
REMOVAL OF Kr FROM N ₂ BY SELECTIVE ADSORPTION by D.M. Ruthven, J.S. Devgun and F.H. Tezel, University of New Brunswick and T.S. Sridhar, Atomic Energy of Canada
DISCUSSION

STEADY STATE OPERATION OF THE FIRST CRYOGENIC COLUMN IN A KRYPTON SEPARATION SYSTEM by R. v. Ammon, W. Bumiller, E. Hutter, and G. Neffe, Kernforschungszentrum Karlsruhe 202
Session 4 AIR CLEANING SYSTEM DESIGN
Monday: October 20, 1980 CHAIRMAN: R.R. Bellamy Nuclear Regulatory Commission
OPENING REMARKS OF SESSION CHAIRMAN
SAFETY EVALUATION OF LARGE VENTILATION NETWORKS by M. Barrocas, P. Pruchon, J.P. Robin, J.L. Rouyer, P. Salmon, Commissariat à l'Energie Atomique
EXPERIMENTAL DATA REQUIRED FOR THE DESIGN AND ANALYSIS OF EMERGENCY FILTERED AIR DISCHARGE SYSTEMS by J.D. Jefford and R.J. Fluke, Ontario Hydro
DYNAMIC ANALYSIS OF THE CRBRP CLEAN-UP SYSTEM (THREE STAGE AQUEOUS SCRUBBER) by R. Kyi, C. Bijlani, P. Fazekas, and A. Dajani, Burns and Roe, Inc.,
A CONSISTENT APPROACH TO AIR-CLEANING SYSTEM DUCT DESIGN by W.H. Miller, S.C. Ornberg, and K.L. Rooney, Sargent & Lundy 252 DISCUSSION
THE EFFECTS OF SECONDARY CONTAINMENT AIR CLEANUP SYSTEM LEAKAGE ON THE ACCIDENT OFFSITE DOSE AS DETERMINED DURING PREOP TESTS OF THE SEQUOYAH NUCLEAR PLANT by L.J. Klaes, S.A. Nass, L.D. Proctor, Tennessee Valley Authority
SELECTED SOLUTIONS AND DESIGN FEATURES FROM THE DESIGN OF REMOTELY HANDLED FILTERS AND THE TECHNOLOGY OF REMOTE FILTER HANDLING. PREVIOUSLY OPERATING EXPERIENCE WITH THESE COMPONENTS IN THE PASSAT FACILITY by K. Jannakos, W. Lange, G. Potgeter, J. Furrer, J.G. Wilhelm, Kernforschungszentrum

Session 5 CONTAINMENT VENTING

Monday: October 20, 1980
CHAIRMAN: Robert Hilliard

Hanford Engineering Lab

DEVELOPMENT OF A PASSIVE, SELF-CLEANING SCRUBBER FOR CONTAIN-MENT VENTING APPLICATIONS by R.K. Owen, A.K. Postma, Hanford Engineering Laboratory	335
DISCUSSION	352
DESIGN CRITERIA AND CONCEPTS FOR VENTED CONTAINMENT SYSTEMS by H.C. Walling, A.S. Benjamin, Sandia National Laboratories and P. Cybulskis, Battelle Columbus Laboratories	353
DISCUSSION	372
THEORETICAL AND EXPERIMENTAL INVESTIGATIONS INTO THE FILTRATION OF THE ATMOSPHERE WITHIN THE CONTAINMENTS OF PRESSURIZED WATER REACTORS AFTER SERIOUS REACTOR ACCIDENTS by HG. Dillmann, H. Pasler, Kernforschungszentrum Karlsruhe	
DISCUSSION	394
LARGE-SCALE TESTS OF AQUEOUS SCRUBBER SYSTEMS FOR LMFBR VENTED CONTAINMENT by J.D. McCormack, R.K. Hilliard, A.K. Postma, Hanford Engineering Development Laboratory	
DISCUSSION	414
Session 6	
CRITICAL REVIEW	
Tuesday: October 21, 1980	
THE EVOLUTION AND CURRENT STATE OF RADIO-IODINE CONTROL by J. Louis Kovach, Nuclear Consulting Services	
DISCUSSION	433
Session 7	
IODINE ADSORPTION	
Tuesday: October 21, 1980 CHAIRMAN: Richard D. Rivers American Air Filter	
OPENING REMARKS OF SESSION CHAIRMAN	437
ACTIVATED CHARCOAL FILTERS AND THE TEST CANISTERS by P. Hayn, H.H. Stiehl, W. Mathewes, Delbag Luftfilter	439
DISCUSSION	447
NONRADIOMETRIC AND RADIOMETRIC TESTING OF RADIOIODINE SORBENTS USING METHYL IODIDE by G.O. Wood and F.O. Valdez, Los Alamos Scientific Laboratory	448
DISCUSSION	464

BEHAVIOR OF GASKETLESS DEEP BED CHARCOAL FILTERS FOR RADIO- IODINE REMOVAL IN LWR POWER PLANTS by J.G. Wilhelm, H. Deu- ber, J. Furrer, K. Gerlach, Kernforschungszentrum Karlsruhe 465
DISCUSSION 486
PRE-ACCIDENT WEATHERING OF IMPREGNATED CARBONS FOR IODINE REMOVAL by V.R. Deitz, Naval Research Laboratory 487
AN OPERATIONAL SILVER ZEOLITE IODINE ADSORPTION SYSTEM by J.H. McDaniel and E.R. White, EG&G Idaho, Inc 504
ORGANIC IODINE REMOVAL FROM SIMULATED DISSOLVER OFF-GAS STREAMS USING SILVER-EXCHANGED MORDENITE by R.T. Jubin, Oak Ridge National Laboratory
MODIFIED TEDA IMPREGNANTS FOR METHYL IODIDE REMOVAL by D. Underhill, University of Pittsburgh and J. Laskie, Charcoal Engineering, Inc
Session 8
REPROCESSING OFFGAS CLEANING
Tuesday: October 21, 1980 CHAIRMAN: J.G. Wilhelm Kernforschungszentrum Karlsruhe
OPENING REMARKS OF SESSION CHAIRMAN
OFENING REMARKS OF SESSION CHAIRMAN
TRIBUTYL PHOSPHATE REMOVAL FROM REPROCESSING OFF-GAS STREAMS USING A SELECTED SORBENT by G.B. Parker, Pacific Northwest Laboratories
DISCUSSION 550
IODINE TRAPPING AND CONDITIONING IN THE MERCUREX SYSTEM by G.E.R. Collard, D. Hennart, J. Van Dooren, W.R.A. Goossens, SCK/CEN
RESULTS OF CLEANING DISSOLVER OFF-GAS IN THE PASSAT PROTOTYPE DISSOLVER OFF-GAS FILTER SYSTEM by J. Furrer, R. Kaempffer, A. Linek, A. Merz, Kernforschungszentrum Karlsruhe 56
DISCUSSION58
CONDITIONING OF REPROCESSING DISSOLVER OFF-GAS PRIOR TO Kr- RETENTION BY CRYOGENIC DISTILLATION by H.D. Ringel, H. Barnert- Wiemer, H. Hackford, M. Heidendael, Institute for Chemical Technology
1-129, Kr-85, C-14 and NO REMOVAL FROM SPENT FUEL DISSOLVER OFF-GAS AT ATMOSPHERIC PRESSURE AND AT REDUCED OFF-GAS FLOW by E. Henrich, R. Hüfner, Kernforschungszentrum Karlsruhe 597
IMPROVED IODINE AND TRITIUM CONTROL IN REPROCESSING PLANTS by E. Henrich, H. Schmieder, W. Roesch, F. Weirich, Kernforschungszentrum Karlsruhe

DISCUSSION626
SOME ASPECTS OF AEROSOL PRODUCTION AND REMOVAL DURING SPENT FUEL PROCESSING STEPS by F.J. Herrmann, GWK Gesellschaft Zur Wiederaufarbeitung, J. Furrer, E. Henrich, Kernforschung-szentrum Karlsruhe
Session 9 CRITICAL REVIEW
Tuesday: October 21, 1980
AEROSOL FILTRATION by M.W. First, Harvard Air Cleaning Laboratory and H. Gilbert, Consultant
DISCUSSION
Session 10
FILTRATION, FILTER TESTING, AND AEROSOLS
Tuesday: October 21, 1980 CHAIRMEN: H. Gilbert, Consultant R. Dorman, AERE, Harwell
SURVEY OF LOADING PERFORMANCE OF CURRENTLY AVAILABLE TYPES OF HEPA FILTERS UNDER IN-SERVICE CONDITIONS by C.A. Gunn, J.B. McDonough, Mine Safety Appliances Company
PERFORMANCE OF 1,000 and 1,800 CFM HEPA FILTERS ON LONG EXPO- SURE TO LOW ATMOSPHERIC DUST LOADINGS, II by M.W. First, S.N. Rudnick, Harvard Air Cleaning Laboratory
DISCUSSION696
A PRELIMINARY ASSESSMENT OF THE DUST LOADING VERSUS PRESSURE DROP CHARACTERISTIC OF HIGH CAPACITY HEPA FILTERS by R.P. Pratt, UK Atomic Energy Authority
CLEANABLE SINTERED METAL FILTERS ON HOT OFF-GAS SYSTEMS by G.A. Schurr, E.I. DuPont de Nemours Company
HIGH EFFICIENCY PARTICULATE REMOVAL WITH SINTERED METAL FILTERS by B.E. Kirstein, W. J. Paplawsky, D.T. Pence, Science Applications, Inc., T.G. Hedahl, EG&G Idaho
DISCUSSION
INTERIM SUMMARY OF SESSION CHAIRMAN 744
PERFORMANCE OF SAND FILTERS FOR THE SEPARATIONS AREAS AT THE SAVANNAH RIVER PLANT by D.A. Orth, G.H. Sykes, J.M. McKibben,

	762
SODIUM FIRE AEROSOL LOADING CAPACITY OF SEVERAL SAND AND GRAVEL FILTERS by J.R. Barreca and J.D. McCormack, Westinghouse Hanford	763
DISCUSSION	771
INFLUENCE OF THERMOPHORESIS ON PARTICLE REMOVAL IN A MOVING GRANULAR BED FILTER AND HEAT EXCHANGER by S.N. Rudnick, M.W. First, J.M. Price, Harvard Air Cleaning Laboratory	
DISCUSSION	781
DEVELOPMENT OF ACID-RESISTENT HEPA FILTER COMPONENTS by K. Terada, R.W. Woodard, O.I. Buttedahl, Rockwell Internatl	782
DISCUSSION	8 05
ELECTROFIBROUS PREFILTERS FOR USE IN NUCLEAR VENTILATION SYSTEMS by W. Bergman, Lawrence Livermore Laboratory	
DISCUSSION	836
VOLUME II	
Session 11	
NUCLEAR WASTE TREATMENT	
Tuesday: October 21, 1980 CHAIRMAN: Russell Brown, Dept. of Ener	.aa
VOLATILITIES OF RUTHENIUM, IODINE, AND TECHNETIUM ON CALCIN-	
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory	
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory	
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro	865
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro DISCUSSION NUCLEAR WASTE VITRIFICATION EFFLUENT by R.W. Goles, F.P. Brauer, D.C. Hamilton, J.E. Fager, Pacific Northwest Laboratories	865 867 890 891
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro DISCUSSION NUCLEAR WASTE VITRIFICATION EFFLUENT by R.W. Goles, F.P. Brauer, D.C. Hamilton, J.E. Fager, Pacific Northwest Laboratories	865 867 890
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro DISCUSSION NUCLEAR WASTE VITRIFICATION EFFLUENT by R.W. Goles, F.P. Brauer, D.C. Hamilton, J.E. Fager, Pacific Northwest Laboratories DISCUSSION BEHAVIOR OF SELECTED CONTAMINANTS IN LIQUID FED CERAMIC MELTER WASTE VITRIFICATION OFF-GAS by K.H. Oma, T.A. Nelson, Pacific Northwest Laboratories	865 867 890
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro DISCUSSION NUCLEAR WASTE VITRIFICATION EFFLUENT by R.W. Goles, F.P. Brauer, D.C. Hamilton, J.E. Fager, Pacific Northwest Laboratories DISCUSSION BEHAVIOR OF SELECTED CONTAMINANTS IN LIQUID FED CERAMIC MELTER WASTE VITRIFICATION OFF-GAS by K.H. Oma, T.A. Nelson, Pacific Northwest Laboratories DISCUSSION INCINERATION OF LWR-TYPE WASTE AT MOUND FACILITY by B.M. Alex-	865 867 890 891 910 911 928
ING FISSION PRODUCT NITRATE WASTES by S.J. Rimshaw, F.N. Case, Oak Ridge National Laboratory DISCUSSION CHEMICAL BEHAVIOR OF RADIOIODINE UNDER LOSS OF COOLANT ACCI- DENT CONDITIONS by M.J. Kabat, Ontario Hydro DISCUSSION NUCLEAR WASTE VITRIFICATION EFFLUENT by R.W. Goles, F.P. Brauer, D.C. Hamilton, J.E. Fager, Pacific Northwest Laboratories DISCUSSION BEHAVIOR OF SELECTED CONTAMINANTS IN LIQUID FED CERAMIC MELTER WASTE VITRIFICATION OFF-GAS by K.H. Oma, T.A. Nelson, Pacific Northwest Laboratories DISCUSSION	865 867 890 891 910

INCINERATION OF CONTAMINATED ORGANIC SOLVENTS BED CALCINER by R.E. Schindler, Exxon Nuclear	
OFFGAS TREATMENT FOR RADIOACTIVE WASTE INCINE Stretz, R.A. Koenig, Los Alamos Scientific La DISCUSSION	boratory 959
DEVELOPMENT OF THE PROCESSING SYSTEM FOR PLUT TED HEPA FILTERS by K. Ohtsuka, Power Reactor Development Corp., M. Buseki, Tokyo Nuclear SY. Itoh, Nitta Belting Co	and Nuclear Fuel services, T. Inoue,
Session 12	
CRITICAL REVIEW	
Wednesday: October	22, 1980
OPENING REMARKS OF SESSION CHAIRMAN	988
CRITICAL REVIEW OF NOBLE GAS TREATMENT SYSTEM Science Applications, Inc	S by D.T. Pence,
DISCUSSION	1013
Session 13	
NOBLE GAS TREATMENT	
Wednesday: October CHAIRMAN: Dwight W Universi	
CONDITIONING AND STORAGE OF FISSION PRODUCT IN TINUOUS ION IMPLANTATION INTO SPUTTERED METALE. Henrich, F. Baumgärtner, Kernforschungszeit	LS by H.J. Schmidt, ntrum Karlsruhe1019
DISCUSSION	
LONG-TERM STORAGE OF Kr-85 IN ZEOLITE 5A+ by Kernforschungszentrum Karlsruhe	RD. Penzhorn,
DISCUSSION	
LONG-TERM STORAGE OF RADIOACTIVE KRYPTON USING A DOUBLE CYLINDER by Y. Yamamoto, Y. Sawada, Steel, Ltd. and E. Inada, Power Reactor and Development Corporation	B. An, Kobe Nuclear Fuel
DIGGIGGION	1057

PRELIMINARY SAFETY EVALUATION OF A COMMERCIAL-SCALE KRYPTON-85 ENCAPSULATION FACILITY by A.B. Christensen, J.E. Tanner, D.A. Knecht, Exxon Nuclear Idaho Company, Inc
EXPERIMENTAL DEVELOPMENT AND DESIGN ASPECTS OF A 85 KRYPTON REMOVAL DISTILLATION UNIT by G.E.R. Collard, L.P.M. Geens, P.J. Vaesen, W.R.A. Goossens, SCK/CEN
DISCUSSION1082
Session 14
carbon-14 and tritium
Wednesday: October 22, 1980 CHAIRMAN: G.E.R. Collard, SCK/CEN
14CO ₂ MONITORING WITH LONG PATH LENGTH INFRARED DIODE LASER ABSORPTION by A.P. Baronavski, J.E. Butler, N.D. Sanders, J.R. McDonald, Naval Research Laboratory
DISCUSSION
CARBON-14 IMMOBILIZATION VIA THE CO2-Ba(OH) ₂ HYDRATE GAS-SOLID REACTION by G.L. Haag, Oak Ridge National Laboratory1095
1,4-DIPHENYLBUTADIYNE AS A POTENTIAL TRITIUM GETTER by H.H. Miller, E.R. Bissell, R.T. Tsugawa, P.C. Souers, Lawrence Livermore Laboratory
DISCUSSION1139
Session 15
AIR CLEANING SYSTEM RESPONSE TO STRESS
Wednesday: October 22, 1980 CHAIRMAN: W. Miller, Sargent & Lundy
OPENING REMARKS OF SESSION CHAIRMAN1141
INVESTIGATION OF AIR CLEANING SYSTEM RESPONSE TO ACCIDENT CONDITIONS by R.W. Andrae, J.W. Bolstad, R.D. Foster, W.S. Gregory, H.L. Horak, E.S. Idar, R.A. Martin, P.K. Tang, Los Alamos Scientific Laboratory, C.I. Ricketts, P.R. Smith, New Mexico State University
DISCUSSION1162
A METHOD FOR ESTIMATING THE CHALLENGE TO AN AIR CLEANING SYSTEM RESULTING FROM AN ACCIDENTAL EXPLOSIVE EVENT by M.J. Steindler, W.B. Seefeldt, Argonne National Laboratory1165
DISCUSSION

SEISMIC QUALIFICATION OF HEPA FILTERS OPERATING CONDITION by Dr. J.R. Yow, and Development Co., Ltd., R. Holloma Flanders Filters	Corporate Consulting in and A. Algar,
DISCUSSION	
Session 16 WORKING LUNCH	I
	October 22, 1980 Dade W. Moeller Harvard School of Public Health
THE THREE MILE ISLAND RECOVERY PROGRAMUCLEAR Regulatory Commission	MM by John C. Collins,
Session 17	
NUCLEAR STANDARDS AN	ND SAFETY
	October 22, 1980 Gerald Daley Department of Energy
PROGRESS IN NUCLEAR STANDARDS DEVELOR American Air Filter Company	1203
AN INDEX TO THE AEC/ERDA/DOE AIR CLEAR Burchsted, ORNL, Nuclear Standards Ma	ANING CONFERENCES by C.A. anagement Center1205
DISCUSSION	
FIRE PROTECTION COUNTERMEASURES FOR C SYSTEMS by N. Alvares, D. Beason, W. A. Lipska, Lawrence Livermore Labora	Bergman, H. Ford, and tory1213
DISCUSSION	
CONCLUDING REMARKS OF SESSION CHAIRM	AN1278
Session 18	
ROUND TABLE	
	October 22, 1980 H.J. Ettinger Los Alamos Scientific Lab

xvii

OPENING REMARKS OF SESSION CHAIRMAN1280
CHALLENGES FOR NUCLEAR AIR CLEANING TECHNOLOGY IN FRANCE by Jean-Loup Rouyer, Institut de Protection et de Sûreté Nucléaire
DEVELOPMENTS IN NUCLEAR AIR CLEANING IN GERMANY by J. Furrer, Kernforschungszentrum Karlsruhe
NEW TRENDS IN THE BELGIAN PROGRAMME ON NUCLEAR AIR CLEANING TECHNOLOGY by W.R.A. Goossens, SCK/CEN
RECENT DEVELOPMENTS IN THE TESTING OF ABSORBERS IN VENTILA- TION SYSTEMS by M.J. Kabat, Ontario Hydro
ADVANCES IN AIR CLEANING TECHNOLOGY IN THE U.K. by M. Marshall, AERE, Harwell
REVIEW OF THE ACTIVITIES OF THE OECD NUCLEAR ENERGY AGENCY ASSOCIATED WITH AIR CLEANING TECHNOLOGY by J.P. Olivier, OECD
NEW AIR CLEANING TECHNOLOGY IN JAPAN by Yoshikazu Yoshida, Susumu Kitani, Hiroshi Matsui, Yoshio Ikezawa, Japan Atomic Energy Research Institute
Session 19
OPEN END
Thursday: October 23, 1980 CHAIRMAN: Melvin W. First Harvard Air Cleaning Lab
OPENING REMARKS OF SESSION CHAIRMAN1320
CARBON TETRACHLORIDE DESORPTION FROM ACTIVATED CARBON by L.A. Jonas, E.B. Sansone, Frederick Cancer Research Center1321 DISCUSSION
LOADING CAPACITY OF VARIOUS FILTERS FOR LITHIUM FIRE GENERATED AEROSOLS by D.W. Jeppson, J.R. Barreca, Hanford Engineering Development Laboratory
A UNIQUE APPROACH TO CARBON SAMPLING by D. Whitney, SMUD, and J. Edwards, Charcoal Service Corporation
DISCUSSION

OCCURRENCE OF PENETRATING IODINE SPECIES IN THE EXHAUST AIR OF PWR POWER PLANTS by H. Deuber, J.G. Wilhelm, Kernforschung- szentrum Karlsruhe
DISCUSSION1386
KRYPTON RETENTION ON SOLID ADSORBENTS by P.R. Monson, Jr., E.I. DuPont de Nemours & Co
EFFECT OF FLOW RATE ON THE ADSORPTION COEFFICIENT OF RADIO-ACTIVE KRYPTON ON ACTIVATED CARBON by Lin-Shen Casper Sun, U.S. Nuclear Regulatory Commission, and D.W. Underhill, University of Pittsburgh
DISCUSSION1406
DESORPTION OF TEDA FROM IMPREGNATED CHARCOALS by G. Wood, Los Alamos Scientific Laboratory
NUCLEAR POWER PLANT AIR FILTER MAINTENANCE PROGRAM AND RECORDS by J. Fish, American Air Filter1414
REVIEW OF WORK CARRIED OUT 1978-80 ON HEPA FILTERS AND VENTILATION SYSTEMS AT THE DOUNREAY SITE OF THE UKAEA by E. Lillyman, UK Atomic Energy Commission
DISCUSSION1424
CLOSING REMARKS OF SESSION CHAIRMAN1424
Session 20
AIR CLEANING TECHNOLOGY AT THREE MILE ISLAND
Thursday: October 23, 1980 CHAIRMAN: John Collins Nuclear Regulatory Commission
OPENING REMARKS OF SESSION CHAIRMAN1425
INVESTIGATIONS INTO THE AIR CLEANING ASPECTS OF THE THREE MILE ISLAND ACCIDENT by R.R. Bellamy, U.S. Nuclear Regulatory Commission
DISCUSSION1441
STUDIES OF AIRBORNE 131 AT TMI-2, SOURCES AND FILTRATION by J.E. Cline, P.G. Voillequé, C.A. Pelletier, C.D. Thomas, Jr., Science Applications, Inc
DISCUSSION1480

RADIOIODINE ADSORPTION GEOMETRY EFFECTS by J.J. Grimm, W.P. Freeman, J.R. Hunt, K.M. Fleming, J.L. Kovach,	
J.W. Jacox, Nuclear Consulting Services, Inc	} 1
EVALUATION OF CARBONS EXPOSED TO THE THREE MILE ISLAND ACCIDENT by V.R. Deitz, J.B. Romans, Naval Research Laboratory and R.R. Bellamy, Nuclear Regulatory Commission150	0 (
DISCUSSION151	. 7
CLOSING REMARKS OF SESSION CHAIRMAN	.8
INDEX OF AUTHORS AND SPEAKERS151	.9
LIST OF ATTENDEES	24